


i15




SHOT ON REDMI K20
AI TRIPLE CAMERA

























SHOT ON REDMI K20
AI TRIPLE CAMERA



SHOT ON REDMI K20
AI TRIPLE CAMERA

લેવે શુભ શરૂઆત આપણા વિસ્તારમાં



INTELLIGENT LIGHTING STUDIO

Your design... Our profile...

- ◆ Non magnetic profile customize
- ◆ COB Spot Light
- ◆ LED Strip Light
- ◆ All profiles above 35 mm will be customized.



M. 76003 84326

FF-19, Satyamev-2, Opp. Gujarat High Court, Opp. Kargil Petrol Pump,
S.G. Highway, Ahmedabad-380061.

Deep Recessed(DRL) - 02 Watt

Product Code : DRLR02N

Description

Cutout Size : $\phi 24$ mm
 Trim : White, Black
 Power : 02 Watt
 Heat Sink : CNC Machined Aluminium Housing
 Beam Angle : 15°
 CRI 80+



Deep Recessed (DRT) - 02 Watt

Product Code : DRTR02F

Description

Cutout Size : $\phi 24$ mm
 Trim : Black, White
 Power : 02 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 77°
 CRI 90+



Deep Recessed(DRR) - 03 Watt

Product Code : DRRR03M

Description

Cutout Size : $\phi 28$ mm
 Trim : White, Black
 Power : 03 Watt
 Heat Sink : CNC Machined Aluminium Housing
 Beam Angle : 42°
 CRI 90+




Rimless Movable(RMR) - 03 Watt

Product Code : RMRS03N

Description

Cutout Size : $\phi 41$ mm
 Fixture : White
 Trim : Black
 Power : 03 Watt
 Heat Sink : Extruded Aluminium Housing
 Beam Angle : 10° & 24°
 CRI 90+



Deep Recessed (DRL) - 05 Watt

Product Code : DRLR05N/M

Description

Cutout Size : $\varnothing 40$ mm
 Trim : White, Black, Two color, Rose Gold
 Power : 05 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 25° / 35°
 CRI 90+




Low Power Laser Spot (LPL) - 05 Watt

Product Code : LPLB/R

Description

Cutout Size : $\varnothing 27$ mm
 Trim : White/ Black
 Reflector/Cone : Black, Black Alloy, Dark Silver, Rose Gold
 Power : 06 Watt
 Heat Sink : Extruded Aluminium Heat Sink
 Beam Angle : 31°
 CRI 80+



Movable Focus (MFR) - 06 Watt

Product Code : MFRR06M

Description

Cutout Size : $\varnothing 54$ mm
 Trim : White/ Black
 Fixture : Black, White
 Power : 06 Watt
 Heat Sink : Die-Cast Aluminium Heat Sink
 Beam Angle : 32°
 CRI 90+



High Power Laser Spot (HPL) - 06 Watt

Product Code : HPLB/R

Description

Cutout Size : $\varnothing 27$ mm
 Trim : White/ Black
 Reflector/Cone : Black, Black Alloy, Dark Silver, Rose Gold
 Power : 06 Watt
 Heat Sink : Extruded Aluminium Heat Sink
 Beam Angle : 31° & 36°
 CRI 80+




Low Power Laser Spot (LPL) - 06 Watt

Product Code : LPLB/R

Description

Cutout Size : $\varnothing 27$ mm
 Trim : White/ Black
 Reflector/Cone : Black,Black Alloy,Dark Silver,Rose Gold
 Power : 06 Watt
 Heat Sink : Extruded Aluminium Heat Sink
 Beam Angle : 31°
 CRI 80+




Low Power Laser Spot (LPL) - 07 Watt

Product Code : LPLB/R

Description

Cutout Size : $\varnothing 27$ mm
 Trim : White/ Black
 Reflector/Cone : Black,Black Alloy,Dark Silver,Rose Gold
 Power : 06 Watt
 Heat Sink : Extruded Aluminium Heat Sink
 Beam Angle : 31°
 CRI 80+



Deep Recessed (DRL) - 07 Watt

Product Code : DRLR07N/M

Description

Cutout Size : $\varnothing 40$ mm
 Trim : White , Black , Two color, Rose Gold
 Power : 07 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : $25^\circ / 35^\circ$
 CRI 90+




Low Glare (LGR) - 07 Watt

Product Code : LGPR07

Description

Cutout Size : $\varnothing 108$ mm
 Trim : White
 Power : 07 Watt
 Heat Sink : Aluminium Pressure Die Cast Heat sink
 Beam Angle : 110°
 CRI 80+




Low Glare (LGS) - 07 Watt

Product Code : LGPS07F

Description

Cutout Size : 108 x 108 mm
 Trim : White
 Power : 07 Watt
 Heat Sink : Aluminium Pressure Die Cast Heat sink
 Beam Angle : 110°
 CRI 80+




RDCS - 08 Watt

Product Code : RDCS08M

Description

Cutout Size : 64 x 64 mm
 Trim : White
 Power : 08 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 50°
 CRI 90+



Deep Recessed (DR) - 08 Watt

Description

Cutout Size : $\phi 69$ mm
 Trim : White, Black, Two Color, Rose Gold
 Power : 08 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 CRI 90+

Optics	Beam	Height
Reflector	14°	70mm
Reflector	30°	70mm
Lens	50°	91mm
Lens	37°	91mm



Semi Recessed (SRL)- 08 Watt

Product Code : SRLR08W

Description

Cutout Size : $\phi 78$ mm
 Trim : White, Black, Two Color, Rose Gold
 Power : 08 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 57°
 CRI 90+




Deep Downlight (SDD) - 08 Watt

Product Code : SDDR08

Description

Cutout Size : $\phi 78$ mm
 Trim : White
 Power : 08 Watt
 Heat Sink : Aluminium Metal Spun Housing
 Beam Angle : 93°
 CRI 80+




Semi Recessed (SRS) - 08 Watt

Product Code : SRDS08F

Description

Cutout Size : 73 x 73 mm
 Trim : White, Black
 Power : 08 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 100°
 CRI 80+



Narrow Recessed (NR) - 8 Watt

Description

Cutout Size : $\phi 60$ mm
 Power : 8 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 CRI 90+

Optics	Beam	Trim
Reflector	14°	White, Black, Two color, Rose Gold
Reflector	30°	White, Black, Two color, Rose Gold
Reflector	50°	White, Black, Two color, Rose Gold
Diffuser	54°	White, Black
Lens	24°	White, Black, Two color, Rose Gold
Lens	37°	White, Black, Two color, Rose Gold
Lens	52°	White, Black, Two color, Rose Gold



Deep Movable (DML) - 8 Watt

Product Code : DMLR08M

Description

Cutout Size : 76 mm
 Trim : White, Black
 Power : 8 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 15° / 25° / 37° / 56°
 CRI 90+




Deep Recessed (DWL) - 8 Watt

Product Code : DWLR08W

Description

Cutout Size : 77mm
 Trim : White, Black
 Power : 8 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 60°
 CRI 90+



Movable Narrow Recessed (MNR) - 8 Watt

Product Code : MNRR08N

Description

Cutout Size : 60mm
 Fixture : White, Black
 Power : 8 Watt
 Heat Sink : Extruded Aluminium Housing
 Beam Angle : 24° & 38°
 CRI 90+




Low Power Laser Spot (LPL) - 08 Watt

Product Code : LPLB/R

Description

Cutout Size : Ø27 mm
 Trim : White/ Black
 Reflector/Cone : Black, Black Alloy, Dark Silver, Rose Gold
 Power : 08 Watt
 Heat Sink : Extruded Aluminium Heat Sink
 Beam Angle : 31°
 CRI 80+




Deep Recessed (DRR) - 10 Watt

Product Code : DRRR10W

Description

Cutout Size : ø42 mm
 Trim : White, Black, Two Color, Rose Gold
 Power : 10 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 44°
 CRI 90+




Low Power Laser Spot (LPL) - 10 Watt

Product Code : LPLB/R

Description

Cutout Size : $\varnothing 27$ mm
 Trim : White/ Black
 Reflector/Cone : Black,Black Alloy,Dark Silver,Rose Gold
 Power : 10 Watt
 Heat Sink : Extruded Aluminium Heat Sink
 Beam Angle : 31°
 CRI 80+




Low Power Laser Spot (LPL) - 11 Watt

Product Code : LPLB/R

Description

Cutout Size : $\varnothing 27$ mm
 Trim : White/ Black
 Reflector/Cone : Black,Black Alloy,Dark Silver,Rose Gold
 Power : 10 Watt
 Heat Sink : Extruded Aluminium Heat Sink
 Beam Angle : 31°
 CRI 80+





RDCS - 12 Watt

Product Code : RDCS12M

Description

Cutout Size : 80 x 90 mm
 Trim : White, Silver
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 50°
 CRI 90+




RDCR - 12 Watt

Product Code : RDCR12M

Description

Cutout Size : $\varnothing 82$ mm
 Trim : White, Silver
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 33°
 CRI 90+



RDCRM - 12 Watt

Product Code : RDCRM12M

Description

Cutout Size : Ø82 mm



Trim : White, Silver

Power : 12 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

Beam Angle : 50°

CRI 90+



RWCS - 12 Watt

Product Code : RWCS12M

Description

Cutout Size : 80 x 90 mm



Trim : White, Silver

Power : 12 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

Beam Angle : 30°

CRI 90+



Deep Recessed - 12 Watt

Description

Cutout Size : ø69mm

Trim : White, Black, Two Color, Rose Gold

Power : 12 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

CRI 90+

Optics	Beam	Height	Trim
Reflector	14°	80mm	White, Black, Two color, Rose Gold
Reflector	30°	80mm	White, Black, Two color, Rose Gold
Reflector	45°	99mm	White, Black, Two color, Rose Gold
Diffuser	56°	99mm	Black & White
Lens	50°	97mm	White, Black, Two color, Rose Gold
Lens	37°	97mm	White, Black, Two color, Rose Gold



Semi Recessed - 12 Watt

Description

Cutout Size : ø78 mm

Trim : White, Black, Rose Gold, Two color

Power : 12 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

CRI 90+

Optics	Beam	Height	Trim
Reflector	70°	80mm	White, Black, Two color, Rose Gold
Lens	57°	80mm	White, Black, Two color, Rose Gold
Diffuser	72°	80mm	Black & White



Narrow Recessed - 12 Watt

Description

Cutout Size : $\phi 60$ mm

Trim : White, Black, Two color, Rose Gold

Power : 12 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

CRI 90+

Optics	Beam	Height	Trim
Reflector	14°	80mm	White, Black, Two color, Rose Gold
Reflector	30°	80mm	White, Black, Two color, Rose Gold
Reflector	50°	80mm	White, Black, Two color, Rose Gold
Lens	37°	80mm	White, Black, Two color, Rose Gold
Lens	52°	80mm	White, Black, Two color, Rose Gold
Diffuser	54°	80mm	Black & White



Deep Recessed (DRS) - 12 Watt

Product Code : DRDS12F

Description

Cutout Size : 80x80mm


Trim : White

Power : 12 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

Beam Angle : 100°

CRI 80+



Semi Recessed (SRS) - 12 Watt

Product Code : SRDS12

Description

Cutout Size : 107 x 100 mm


Trim : White

Power : 12 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

Beam Angle : 100°

CRI 80+



Deep Recessed (DWL) - 12 Watt

Product Code : DWLR12W

Description

Cutout Size : 77mm


Trim : White, Black

Power : 8 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

Beam Angle : 60°

CRI 90+




Deep Recessed (DWC) - 12 Watt

Product Code : DWC12W

Description

Cutout Size : 90mm
 Trim : White
 Power : 12 Watt
 Heat Sink : Pressure Died Cast Aluminum Heat sink
 Beam Angle : 22°
 CRI 90+



Deep Movable (DML) - 12 Watt

Description

Cutout Size : 76mm
 Trim : White, Black
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 15° / 25° / 37° / 56°
 CRI 90+




Rimless Movable (RMRS) - 12 Watt

Product Code : RMRS12N

Description

Cutout Size : 52mm
 Trim : White
 Power : 12 Watt
 Heat Sink : Extruded Aluminium Housing
 Beam Angle : 25°
 CRI 90+



Deep Movable (DMW) - 12 Watt

Product Code : DMW12F

Description

Cutout Size : 76mm
 Trim : White, Black
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 65°
 CRI 90+




Semi Detachable (SDL) - 12 Watt

Product Code : SDLR12M

Description

Cutout Size : 84mm
 Trim : White
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 31°
 CRI 90+




Movable Focus (MFT) - 12 Watt

Product Code : MFTR12M

Description

Cutout Size : 100 X 46mm
 Trim : White
 Power : 12 Watt
 Heat Sink : Die-Cast Aluminium Housing
 Beam Angle : 32°
 CRI 90+




Rim Light (RSL) - 12 Watt

Product Code : RSLR12

Description

Cutout Size : 87 X 87mm
 Trim : Black
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heatsink
 Beam Angle: 56°
 CRI 90+





Trimless Light (TSL) - 12 Watt

Product Code : TSLB12

Description

Cutout Size : 95 X 95mm
 Trim : Black
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heatsink
 Beam Angle: 56°
 CRI 90+



Glare Less (GLW) - 12 Watt

Product Code : GLWR12M

Description

Cutout Size : 54mm
 Trim : Black, White, Trimless
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle: 32°
 CRI 90+





Deep Recessed (DRD) - 12 Watt

Product Code : DRDR12MCB

Description

Cutout Size : 69mm
 Trim : White
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heatsink
 Beam Angle: 52°





Narrow Recessed (NRD) - 12 Watt

Product Code : NRDR12MCB

Description

Cutout Size : 60mm
 Trim : White
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heatsink
 Beam Angle: 55°





Semi Recessed (SRD) - 12 Watt

Product Code : SRDR12MC

Description

Cutout Size : ø75mm
 Trim : White
 Power : 12 Watt
 Heat Sink : Cold Forged Aluminium Heat Sink
 Beam Angle : 73°



High Power Laser Spot (HPL) - 12 Watt

Product Code : HPLB/R

Description

Cutout Size : $\varnothing 27$ mm

Trim : Black, White

Reflector : Black, Black Alloy, Dark Silver, Rose Gold

Power : 12 Watt

Heat Sink : Extruded Aluminium Heat Sink

Beam Angle : 36° & 31°

CRI 80+



Narrow Recessed (NR) - 15 Watt

Description

Cutout Size : $\varnothing 60$ mm

Power : 15 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

CRI 90+

Optics	Beam	Trim
--------	------	------

Reflector	50°	White, Black, Two color, Rose Gold
Diffuser	54°	White, Black



Deep Recessed (DR) - 15 Watt

Description

Cutout Size : $\varnothing 69$ mm


Power : 15 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

CRI 90+

Optics	Beam	Trim
--------	------	------

Reflector	45°	White, Black, Two color, Rose Gold
Diffuser	56°	White, Black



Semi Recessed (SR) - 15 Watt

Description

Cutout Size : $\varnothing 78$ mm


Power : 15 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

CRI 90+

Optics	Beam	Trim
--------	------	------

Reflector	70°	White, Black, Two color, Rose Gold
Diffuser	72°	White, Black



Flat Recessed (FRD) - 15 Watt

Product Code : FRDR15

Description


Cutout Size : 108mm

Trim : White

Power : 15 Watt

Heat Sink : Cold Forged Aluminium Heatsink

Beam Angle: 100°



Low Glare (LGR) - 15 Watt

Product Code : LGPR15

Description



Cutout Size : 160mm

Trim : White

Power : 15 Watt

Heat Sink : Aluminium Pressure Die Cast Heat sink

Beam Angle: 110°



Low Glare (LGS) - 15 Watt

Product Code : LGPS15

Description


Cutout Size : 158 X 158mm

Trim : White

Power : 15 Watt

Heat Sink : Aluminium Pressure Die Cast Heat sink

Beam Angle: 110°



Down Focus (DFC) - 15 Watt

Product Code : DFRC15

Description


Cutout Size : 115 mm

Trim : White

Power : 15 Watt

Heat Sink : Pressure Die Cast Heat sink

Beam Angle: 22° & 37°



High Power Laser Spot (HPL) - 18 Watt

Product Code : HPLB/R

Description

Cutout Size : $\varnothing 27$ mm

Trim : Black, White

Reflector : Black, Black Alloy, Dark Silver, Rose Gold

Power : 18 Watt

Heat Sink : Extruded Aluminium Heat Sink

Beam Angle : 36° & 31°

CRI 80+



Glare Less (GLW) - 18 Watt

Product Code : GLWR18M

Description

Cutout Size : 75mm

Trim : Black, White, Trimless

Power : 18 Watt

Heat Sink : Cold Forged Aluminium Heat Sink

Beam Angle : 32° & 52°

CRI 90+

